

JinkoSolar Supplies 1.1MWh BESS for Hybrid Off-grid PV/DG System in Djibouti

JinkoSolar today announced it has delivered a 1.1MWh BESS for Hybrid Off-grid PV/DG System in the Republic of Djibouti, Horn of Africa, Ethiopia to the southwest, for the electrification of rural communities.

This PV/DG/BATT off-grid system is composed of 1200 kW JinkoSolar' s Tiger Neo PV modules, three diesel generators, 1.1 MWh JinkoSolar' s battery storage, and


JKS540~1620K-500H



Key

-
-
-
-

System Topology



SYSTEM TECHNICAL SPECIFICATIONS

DC Data	JKS540K-500H	JKS1080K-500H	JKS1620K-500H
Battery Chemistry	Lithium Iron Phosphate (LFP)		
Cell Life Cycle			
Cell Specification	3.2V/96Ah		
Battery System Configuration	4P11S	8P11S	12P11S
DC Rated Energy Capacity	540kWh	1080kWh	1620kWh
Rated Voltage	704V		
Voltage Range	616V~792V		
BMS Communication Interface	RS485, Ethernet, GPRS		
BMS Communication Protocol			
Max.PV Input Voltage	1000V		
Standard/Max PV Power	600/720kW		
MPPT voltage range	250-850V		
MPPT voltage range@full load	450-850V		
AC Data			
Rated AC Power	500kW		
Maximum AC Power	550kW		
Rated Voltage	400V		
AC Rate of Current	722A		
THDi			
Power Factor	1(leading) ~1(lagging)		
Rated Frequency (Hz)	50/60Hz		
AC Connection	3W+N+PE		
STS Power	500kW		
STS Switching Time			
General Data			
Dimension (W*D*H)	6,058*2,438*2,591mm	12,192*2,438*2,591mm	
Weight	<20T	<30T	
Degree of Protection	IP54		
Operating Temperature Range	-20~40°C		
Relative Humidity			
Max. Working Altitude	3,000m		
Cooling Concept of DC hatch	HVAC		
Communication Interfaces	RS485, Ethernet, GPRS		
Certifications	UL9540A, IEC62619, CE, UN38.3		

CAUTION: READ SAFETY AND INSTALLATION INSTRUCTIONS BEFORE USING THE PRODUCT.

© Jinko Solar Co., Ltd. All rights reserved. Specifications included in this datasheet are subject to change without notice.